

CAPCO

QS SPECIFICATIONS

EXPOSED TEE SUSPENDED CEILINGS

HeraDesign Acoustic Tiles – 1200 x 600 x 25mm Basalt Grey – Super Fine

Supply and install HeraDesign pre-painted Basalt Grey acoustic ceiling tiles 1200 x 600 x 25mm with Super Fine finish and square edge laid onto CKM T38/24W 38 x 24mm pre-painted white exposed tee grid system. Main tees suspended by means of 19 x 0,5mm GMS strap hangers at 1,200m centres with 4,2 x 13mm wafer-tek screws to tees and 6 x 40mm express nails and M6 washers to slab. All in accordance with CAPCO and SABISA installation instructions.

HeraDesign Acoustic Tiles – 1200 x 600 x 25mm Squirrel Grey – Super Fine

Supply and install HeraDesign Squirrel Grey acoustic ceiling tiles 1200 x 600 x 25mm with Super Fine finish and square edge laid onto CKM T38/24W 38 x 24mm pre-painted white exposed tee grid system. Main tees suspended by means of 19 x 0,5mm GMS strap hangers at 1,200m centres with 4,2 x 13mm wafer-tek screws to tees and 6 x 40mm express nails and M6 washers to slab. All in accordance with CAPCO and SABISA installation instructions.

HeraDesign Acoustic Tiles – 1200 x 600 x 25mm Natural – Super Fine

Supply and install HeraDesign Natural acoustic ceiling tiles 1200 x 600 x 25mm with Super Fine finish and square edge laid onto CKM T38/24W 38 x 24mm pre-painted white exposed tee grid system. Main tees suspended by means of 19 x 0,5mm GMS strap hangers at 1,200m centres with 4,2 x 13mm wafer-tek screws to tees and 6 x 40mm express nails and M6 washers to slab. All in accordance with CAPCO and SABISA installation instructions.

CAPCO

QS SPECIFICATIONS

ACOUSTIC WALL PANELS ONTO BRICKWORK

HeraDesign Acoustic Wall Panels – 1200 x 600 x 25mm Basalt Grey – Super Fine

Supply and install HeraDesign Basalt Grey acoustic wall panels 1200 x 600 x 25mm with Super Fine finish bevelled all round with 4,5 x 50mm HeraDesign screws and 5 x 30mm plugs into brickwork. All in accordance with CAPCO and SABISA installation instructions.

HeraDesign Acoustic Wall Panels – 1200 x 600 x 25mm Squirrel Grey – Super Fine

Supply and install HeraDesign Squirrel Grey acoustic wall panels 1200 x 600 x 25mm with Super Fine finish bevelled all round with 4,5 x 50mm HeraDesign screws and 5 x 30mm plugs into brickwork. All in accordance with CAPCO and SABISA installation instructions.

HeraDesign Acoustic Wall Panels – 1200 x 600 x 25mm Natural – Super Fine

Supply and install HeraDesign natural acoustic wall panels 1200 x 600 x 25mm with Super Fine finish and bevelled all round with 4,5 x 50mm HeraDesign screws and 5 x 30mm plugs into brickwork. All in accordance with CAPCO and SABISA installation instructions.

CAPCO

QS SPECIFICATIONS

WALLPANELS ONTO DRYWALL PARTITION SYSTEMS

HeraDesign Acoustic Wall Panels – 1200 x 600 x 25mm (Basalt Grey – Super Fine)

Supply and install HeraDesign Basalt Grey acoustic wall panels 1200 x 600 x 25mm with Super Fine finish and bevelled edge with 4,5 x 50mm HeraDesign screws through drywall into studs at 600mm centres. All in accordance with CAPCO and SABISA installation instructions.

HeraDesign Acoustic Wall Panels – 1200 x 600 x 25mm (Squirrel Grey – Super Fine)

Supply and install HeraDesign Squirrel Grey acoustic wall panels 1200 x 600 x 25mm with Super Fine finish and bevelled edge with 4,5 x 50mm HeraDesign screws through drywall into studs at 600mm centres. All in accordance with CAPCO and SABISA installation instructions.

HeraDesign Acoustic Wall Panels – 1200 x 600 x 25mm (Natural – Super Fine)

Supply and install HeraDesign natural acoustic wall panels 1200 x 600 x 25mm with Super Fine finish and bevelled edge with 4,5 x 50mm HeraDesign screws through drywall into studs at 600mm centres. All in accordance with CAPCO and SABISA installation instructions.